



## X-HONG INTERNATIONAL GROUP CO,LTD

**Technical Report:** (8815)059-0010(B)

Date Received: Feb 28, 2015

Oct 16, 2015

Page 1 of 12

X-HONG INTERNATIONAL GROUP CO,LTD  
UNIT 02,15/F,RICKY CENTRE,NO.36 CHONG YIP  
STREET,KWUN TONG,KOWLOON,HONGKONG

Sample Description:	QUADCOPTER	Sample Size:	N/A
Vendor:	N/A	Style No(s):	SEE ATTACHMENT
Manufacturer:	N/A	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	8+	Ref #:	N/A
Appropriate Age Grade:	NOT REQUESTED	Country of Origin:	N/A
Client Specified Age Grade:	8+	Assortment No.:	N/A
Tested Age Grade:	OVER 8 YEARS OF AGE	Test Finished Date:	MAR 6, 2015
UPC Code:	N/A		
Test Starting Date:	FEB 28, 2015		

### EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014, clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2011+A1: 2014.

The tested component sample(s) MEETS the following requirement(s):

- The migration of certain elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2013+A1:2014.

Note: At the request of the client, the sample(s) was evaluated for use by children 8+.

Note: EC type examination was required for this submission.

To be continued

BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

Harvey Xue  
Assistant Manager, Analytical Lab

BUREAU VERITAS SHENZHEN CO.,LTD  
DONGGUAN BRANCH

Kay Liu  
Manager, Toys Lab

RT/HL

### REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 85935656 Ext. 8819 CPSAnalytical.DG@cn.bureauveritas.com

Business Contact: (86) 0769 85893595

*This report shall not be reproduced except in full, without the written approval of our laboratory.*



X-HONG INTERNATIONAL GROUP CO,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 2 of 12

### **EXECUTIVE SUMMARY:**

- Note: At the request of client, heavy metal test(s) was conducted on the certain component(s) of the submitted sample(s) / submitted component(s).
- Note: According to TSD 2009/48/EC, importers shall indicate their name, registered trade name or registered trade mark and the address at which they can be contacted on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- Note: According to TSD 2009/48/EC, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or, where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.
- Note: According to TSD 2009/48/EC, the manufactures and importer shall indicate their name, registered trade name or registered trade mark and the address at which they can be contacted on the toy, or, where that is not possible, on its packaging or in a document accompanying the toy. The manufacturers information presented on packaging only.

### **ATTACHMENT**

Style No(s):

S18C, W300L, W301, W302, W303, W304, W305, W306, W307, W308, W309, W310, W311, W312, W313, W314, S17, S19, S20, S21, S22, S23, S24, S25, W400, W401, W402, W403, W404, W405, W406, W407, W408, W409, S900, S901, S902, S903, S904, S905, S906, S907, S908, S64, W100, W101, W102, W103, W104, W105, W106, W107, S111, S222, S333, S555, S666, S777, S888, S999, W200, W200C, W201L



X-HONG INTERNATIONAL GROUP CO.,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 3 of 12

## **RESULTS:**

### **APPROPRIATE AGE GRADE DETERMINATION**

The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2014, CR 14379:2002 "Classification of toys-Guidelines" prepared by Technical Committee CEN TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

### **EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6**

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NT	Not Tested				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



X-HONG INTERNATIONAL GROUP CO,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 4 of 12

**RESULTS:**

**MECHANICAL & PHYSICAL PROPERTIES  
(EN 71: PART 1 – 2014)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	M
4.10.3	Hinges	NA
4.10.4	Springs	M
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA



X-HONG INTERNATIONAL GROUP CO.,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 5 of 12

## **RESULTS:**

Subclause	Requirement	Result
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.1	Projectiles – General	NA
4.17.2	Projectiles toys without stored energy	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.7	Bows and arrows	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	M
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
<b>FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS</b>		
5	Cleaning instruction for item intended for child under 3 years of age	NA
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4 &	Cords on toys	NA
5.4(a)	Cords connected to self-retraction mechanism or in pull along toys	NA
5.4(b) & 7.22	Cords and chains that can form tangled loop or noose	NA
5.4(c) & 7.22	Fixed loop of cords or chains	NA



X-HONG INTERNATIONAL GROUP CO,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 6 of 12

**RESULTS:**

Subclause	Requirement	Result
5.4(d)	Nooses	NA
5.4(e)	Self-retraction mechanism	NA
5.4(f) & 7.11	Toy across cradle, cot or perambulator	NA
5.4(g) & 7.22	Cords and chains with free end (exclude pull along toy)	NA
5.4(h)	Cords and chains with free end on pull along toy	NA
5.4(i) & 7.21	Electrical cables	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	M
<b>WARNINGS, INSTRUCTIONS FOR USE</b>		
7	CE Mark	M
7	Manufacturer name and address	M
7	Importer name and address	M
7	Product Identification	M
7.1	General	NA
7.2	Toys not intended for children under 36 months	NA
7.5	Functional toys	NA

**RESULTS:**

**REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1**

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.3	8.4.2.1, 8.25
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.4	8.20, 8.36, 8.38, 8.39, 8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.5	8.15
4.7	8.11	4.15.1.5	8.26.1	4.20	8.28	5.6	8.29
4.8	8.12, 8.13	4.15.1.8	8.29	4.21	8.30	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.24	8.37	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3				



X-HONG INTERNATIONAL GROUP CO,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 8 of 12

**RESULTS:**

**FLAMMABILITY (EN 71 PART 2: 2011+A1: 2014)**

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

**REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2**

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

\* Note: Subclause indicated with \* are not accredited.





X-HONG INTERNATIONAL GROUP CO,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 9 of 12

**Tested Component(s) Description List:**

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	White plastic	O ring of NO.S18C	-
I002	Green plastic	Wing of NO.S60	-
I003	Black plastic	Wing of S911	-
I004	Silver coated black plastic	Remote of NO.S60	-
I005^	Red coating	Body of NO.S60	-

**Remark:**

“^”The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was not subject to migration of certain elements of European Standard, "Safety of Toys", EN 71 Part 3: 2013+A1:2014, as specified in Clause 7.1 - Selection of test portions.



X-HONG INTERNATIONAL GROUP CO.,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 10 of 12

# **Migration of Certain Elements – European Standard EN 71 Part 3: 2013+A1: 2014**

Test Method: European Standard EN 71 Part 3: 2013+A1: 2014, Annex E.

Class: Category III - Scraped off toy material

Analyte	Requirement (mg/kg)	Result (mg/kg)			
		Test Item(s)			
	Category III	I001	I002	I003	I004
Aluminium (Al)	70000	LT 2	LT 2	3	LT 2
Arsenic (As)	47	LT 2	LT 2	LT 2	LT 2
Boron (B)	15000	LT 2	LT 2	LT 2	LT 2
Barium (Ba)	18750	LT 2	LT 2	LT 2	LT 2
Cadmium (Cd)	17	LT 2	LT 2	LT 2	LT 2
Cobalt (Co)	130	LT 2	LT 2	LT 2	LT 2
Chromium III (Cr III)	460	LT 0.15	LT 0.15	LT 0.15	0.16
Chromium VI (Cr VI)	0.2				
Copper (Cu)	7700	LT 2	LT 2	LT 2	710
Mercury (Hg)	94	LT 2	LT 2	LT 2	LT 2
Manganese (Mn)	15000	LT 2	LT 2	LT 2	LT 2
Nickel (Ni)	930	LT 2	LT 2	LT 2	130
Lead (Pb)	160	LT 2	LT 2	LT 2	LT 2
Antimony (Sb)	560	LT 2	LT 2	LT 2	LT 2
Selenium (Se)	460	LT 2	LT 2	LT 2	LT 2
Tin (Sn)	180000	LT 2	LT 2	LT 2	LT 2
Organic tin	12	LT 2	LT 2	LT 2	LT 2
Strontium (Sr)	56000	LT 2	LT 2	LT 2	LT 2
Zinc (Zn)	46000	LT 2	LT 2	LT 2	LT 2
Mass of trace amount (gram)		-	-	-	-
Conclusion		PASS	PASS	PASS	PASS



X-HONG INTERNATIONAL GROUP CO,LTD

Technical Report: **(8815)059-0010(B)**

Oct 16, 2015

Page 11 of 12

## **RESULTS:**

mg/kg = milligrams per kilogram (ppm=parts per million) LT = Less Than

\* = Average of duplicate analysis

Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg

# = Verified results (see note)

### Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.

### Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: In house Ion-chromatography analysis.
- Organic tin: EN71 part 3:2013+A1:2014, Annex G by Gas Chromatography – Mass Spectroscopy analysis.

**RESULTS:**



END OF REPORT